ORAL AND MAXILLOFACIAL TRAUMA CLINIC **PSYCHOLOGY SERVICE ROYAL LONDON HOSPITAL**

Dr Deba Choudhury-Peters, Chartered Clinical Psychologist Professor Simon Holmes, Consultant Oral and Maxillofacial Surgeon Dr Naomi Wilson, Chartered Clinical Psychologist Dr Sarah Heke, Consultant Clinical Psychologist Mr Chris Bridle, Consultant Oral and Maxillofacial Surgeon Ms Vicky Dain, Research Assistant





BAOMS ANNUAL SCIENTIFIC MEETING ACC, LIVERPOOL 24TH JULY 2015






BACKGROUND

- Innovative psychology service
- Two year research funding prevalence of psychological morbidity

Percentage of Trauma Outpatients with Psychological Morbidity at I-3 Months and 6-9 Months Post-Injury



Health Foundation funding









PSYCHOLOGICAL SERVICE ROLE OF THE CLINICAL PSYCHOLOGIST IN CLINIC

Screening Psychological Morbidity All Patients with Facial Injury

Targeting Symptomatic Patients Brief Assessment & Intervention; Risk Assessments/Management

Self-Help/Advice & Psycho-education

Signposting &
Onward ReferralCarer SupportConsultation with
Medical TeamSpecialist Psychological
Treatment

Liaison for Complex Cases







East London NHS Foundation Trust











East London NHS Foundation Trust



experience of being injured almost 2 years ago. She recently met with a Clinical Psychologist in clinic and was symptomatic for Post-Traumatic Stress Disorder,






OUTCOMES TO DATE

- N = 507 Oral & Maxillofacial Trauma patients screened at 9 months (73.6% Male and 26.2% Female)
- 70% aged 18-40 years
- Ethnically diverse population •

Source of Injury




Psychological interventions received

Percentage of outpatients	Level of Psychological Intervention
10.5%	Screening only
61.5%	Screening Brief intervention in Clinic
22.7%	Screening In-depth intervention in Clinic and Onward Referral
0.6%	Extending liaison outside Clinic Complex/Establishing mental health care pathway
3.4%	Specialist Psychological Treatment with Clinical Psychologist outside Clinic
1.4%	Screening only






PSYCHOLOGICAL MORBIDITY ACCORDING TO TREATMENT NEED



Screening & Brief Intervention in clinic In-depth intervention within & outside clinic



A patient who sustained a main injury 9 months ago presented in clinic with PTSD, substance move e, disinhibited behaviour and self-harm. His parents worked in the medial profession and were extremely concerned when he had written a model of e note. He talks about his experience of more with a clinical Psychologist in clinic.



Consultant Oral and Maxillofacial Surgeon, Professor Simon Holmes talks about the need for provision in clinic.



WHERE NEXT?

- Seeking funding from commissioners for ongoing service provision
- Extending links with major charities Changing Faces and Headway Brain Injury
- Training medical team on psychologically informed care across clinic
- Working beyond trauma clinic with other sub-specialities within Oral and Maxillofacial Surgery?







